

Preflight Summary Report for: testdata_font.pdf

Profile: Create inventory (Processed pages 1 to 2)

Processed by ARazib, Date: 12/6/2018 12:30 PM

Document information

File name: "testdata_font.pdf"

Path: "C:\temp_ali\headless"

PDF version number: "1.4"

File size (KB): 431.6

Creator: "Chromium"

Producer: "Skia/PDF m72"

Created: "12/5/2018 6:34 PM"

Modified: "12/5/2018 6:34 PM"

Trapping: "Unknown"

Number of plates: 4

Names of plates: "(Cyan) (Magenta) (Yellow) (Black) "

Environment

Preflight, 18.2.0 (206)

Acrobat version: 19.80

Operating system: Microsoft Windows 10 Professional (Build 17134)



Font 1 (out of 13)

on page 2

Glyphs used in PDF:

U+0020 CID 3 space	U+002E CID 17 period	U+0054 CID 55 T	U+0061 CID 68 a	U+0063 CID 70 c	U+0065 CID 72 e	U+0068 CID 75 h	U+0069 CID 76 i
U+006F CID 82 o	U+0072 CID 85 r	U+0073 CID 86 s	U+0075 CID 88 u				

Font properties:

Type 0 font: "CourierNewPSMT"

PostScript name: CourierNewPSMT

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "CourierNewPSMT"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 832

y-coordinate of the top of flat capital letters: 571

Maximum depth below the baseline: 300

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 61

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: CourierNewPSMT

Various properties

Fixed-width font: False

Serif font: True

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 2 (out of 13)

on page 1

Glyphs used in PDF:

국	는	다	스	에	있	텍	트
U+AD6D CID 751 uniAD6D	U+B294 CID 1042 uniB294	U+B2E4 CID 1065 uniB2E4	U+C2A4 CID 1880 uniC2A4	U+C5D0 CID 2043 uniC5D0	U+C788 CID 2190 uniC788	U+D14D CID 2662 uniD14D	U+D288 CID 2714 uniD288
한							
U+D55C CID 2843 uniD55C							

Font properties:

Type 0 font: "MalgunGothicBold"

PostScript name: MalgunGothicBold

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "MalgunGothicBold"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 1088

y-coordinate of the top of flat capital letters: 717

Maximum depth below the baseline: 241

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 68

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0
y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: MalgunGothicBold

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 3 (out of 13)

on pages 1-2

Glyphs used in PDF:

ই	গ	ত	দ	ন	র	ব	ী
U+0907 CID 232 ideva	U+0917 CID 250 gadeva	U+0924 CID 263 tadeva	U+0926 CID 265 dadeva	U+0928 CID 267 nadeva	U+0930 CID 275 radeva	U+0935 CID 281 vadeva	U+0940 CID 305 ivovelsigndeva
ক	ক্স	ট	ব	ল	য়	া	ে
U+0947 CID 312 evovelsigndeva	U+0900 CID 414	U+099F CID 895 ttabengali	U+09AC CID 907 babengali	U+0982 CID 912 labengali	U+09DF CID 919 yyabengali	U+09BE CID 922 aavovelsignbengali	U+0900 CID 941
ং	ক্স	ক	স	ম	য	ল	
U+0982 CID 952 anuvabengali	U+0900 CID 1034	U+0D15 CID 1451 uni0D15	U+0D1F CID 1461 uni0D1F	U+0D23 CID 1465 uni0D23	U+0D2E CID 1476 uni0D2E	U+0D2F CID 1477 uni0D2F	U+0D32 CID 1480 uni0D32
ছ	০	১	২	৩	৪	৫	৬
U+0D33 CID 1481 uni0D33	U+0D3E CID 1490 uni0D3E	U+0D3F CID 1491 uni0D3F	U+0D46 CID 1499 uni0D46	U+0D4D CID 1505 uni0D4D	U+0000 CID 1547	U+0000 CID 1586	U+0C02 CID 1663 uni0C02
৭	৮	৯	০	১	২	৩	৪
U+0C09 CID 1669 uni0C09	U+0000 CID 1697	U+0000 CID 1717	U+0000 CID 1859	U+0000 CID 1972	U+0000 CID 2169	U+0000 CID 2333	U+0000 CID 2816
৫	৬	৭	৮	৯	০	১	২
U+0889 CID 2927 uni0889	U+08A4 CID 2942 uni08A4	U+08AE CID 2946 uni08AE	U+08B2 CID 2950 uni08B2	U+08B3 CID 2951 uni08B3	U+08B4 CID 2952 uni08B4	U+08BE CID 2959 uni08BE	U+08C6 CID 2966 uni08C6
৩	৪	৫	৬	৭	৮	৯	০
U+08CD CID 2972 uni08CD	U+0000 CID 3020	U+0000 CID 3032	U+0000 CID 3036	U+0000 CID 3055	U+0C95 CID 3090 uni0C95	U+0CA0 CID 3101 uni0CA0	U+0CA1 CID 3102 uni0CA1
১	২	৩	৪	৫	৬	৭	৮
U+0CA6 CID 3107 uni0CA6	U+0CA8 CID 3109 uni0CA8	U+0CAA CID 3110 uni0CAA	U+0000 CID 3180	U+0000 CID 3186	U+0000 CID 3189	U+0000 CID 3458	U+0000 CID 3618
৯	০	১	২	৩	৪	৫	৬
U+0000 CID 3650							

Font properties:

Type 0 font: "NirmalaUI-Bold"

PostScript name: NirmalaUI-Bold

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "NirmalaUI-Bold"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 1079

y-coordinate of the top of flat capital letters: 700

Maximum depth below the baseline: 250

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 76

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: NirmalaUI-Bold

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 4 (out of 13)

on page 2

Glyphs used in PDF:

ข	ค	ท	น	ป	ภ	ม	ย
U+0E02 CID 1077 khokhathai	U+0E04 CID 1079 khokhwaithai	U+0E17 CID 1098 thothahanthai	U+0E19 CID 1100 nonuthai	U+0E1B CID 1102 poplathai	U+0E20 CID 1107 phosamphaothai	U+0E21 CID 1108 anomathai	U+0E22 CID 1109 yoyakthai
ว	ษ	อ	า	เ	ใ	ร	ย
U+0E27 CID 1114 wowaenthai	U+0E29 CID 1116 sorusithai	U+0E2D CID 1120 oangthai	U+0E32 CID 1125 saraaathai	U+0E40 CID 1135 saraethai	U+0E44 CID 1139 saraaimaimalai	U+0E47 CID 1142 thaitaikhuthai	U+0E49 CID 1174 maithothai

Font properties:

Type 0 font: "Tahoma-Bold"

PostScript name: Tahoma-Bold

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "Tahoma-Bold"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 1000

y-coordinate of the top of flat capital letters: 727

Maximum depth below the baseline: 206

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 83

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: Tahoma-Bold

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 5 (out of 13)

on pages 1-2

Glyphs used in PDF:

U+0020 CID 3 space	U+002C CID 15 comma	U+002D CID 16 hyphen	U+003A CID 29 colon	U+0041 CID 36 A	U+0042 CID 37 B	U+0043 CID 38 C	U+0044 CID 39 D
F	G	H	K	L	M	P	R
U+0046 CID 41 F	U+0047 CID 42 G	U+0048 CID 43 H	U+004B CID 46 K	U+004C CID 47 L	U+004D CID 48 M	U+0050 CID 51 P	U+0052 CID 53 R
S	T	U	X	a	b	c	d
U+0053 CID 54 S	U+0054 CID 55 T	U+0055 CID 56 U	U+0058 CID 59 X	U+0061 CID 68 a	U+0062 CID 69 b	U+0063 CID 70 c	U+0064 CID 71 d
e	g	h	i	j	k	l	m
U+0065 CID 72 e	U+0067 CID 74 g	U+0068 CID 75 h	U+0069 CID 76 i	U+006A CID 77 j	U+006B CID 78 k	U+006C CID 79 l	U+006D CID 80 m
n	o	p	r	s	t	u	x
U+006E CID 81 n	U+006F CID 82 o	U+0070 CID 83 p	U+0072 CID 85 r	U+0073 CID 86 s	U+0074 CID 87 t	U+0075 CID 88 u	U+0078 CID 91 x
y	ב	ט	י	ס	ע	ק	ר
U+0079 CID 92 y	U+05D1 CID 673 afii57665	U+05D8 CID 680 afii57672	U+05D9 CID 681 afii57673	U+05E1 CID 689 afii57681	U+05E2 CID 690 afii57682	U+05E7 CID 695 afii57687	U+05E8 CID 696 afii57688
ת	א	ב	א	خ	ر	ص	ط
U+05EA CID 698 afii57690	U+0637 CID 909 afii57415	U+FE91 CID 913 behinitialarabic	U+FE94 CID 916 tehmarbutafinalarabic	U+FEA8 CID 936 laminitialarabic	U+FEAE CID 942 behfinalarabic	U+FEBC CID 956 sadmedialarabic	U+0637 CID 961 afii57431
ط	ا	ل	ن	و	ي	ي	
U+FECA CID 964 tahmedialarabic	U+FECC CID 972 ainmedialarabic	U+FEDE CID 991 laminitialarabic	U+FEED CID 1000 noonmedialarabic	U+FEED CID 1006 kayfinalarabic	U+FEF2 CID 1010 yehfinalarabic	U+FBFF CID 1012 unifBFF	

Font properties:

Type 0 font: "TimesNewRomanPS-BoldMT"

PostScript name: TimesNewRomanPS-BoldMT

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "TimesNewRomanPS-BoldMT"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 891

y-coordinate of the top of flat capital letters: 662

Maximum depth below the baseline: 216

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 83

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: TimesNewRomanPS-BoldMT

Various properties

Fixed-width font: False

Serif font: True

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 6 (out of 13)

on page 1

Glyphs used in PDF:

U+0020 CID 3 space	U+002E CID 17 period	U+004D CID 48 M	U+0061 CID 68 a	U+0066 CID 73 f	U+0067 CID 74 g	U+0068 CID 75 h	U+0069 CID 76 i
U+0070 CID 83 p	U+0072 CID 85 r	U+0073 CID 86 s	U+0074 CID 87 t	U+0079 CID 92 y			

Font properties:

Type 0 font: "TimesNewRomanPSMT"

PostScript name: TimesNewRomanPSMT

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "TimesNewRomanPSMT"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 891

y-coordinate of the top of flat capital letters: 662

Maximum depth below the baseline: 216

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 53

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: TimesNewRomanPSMT

Various properties

Fixed-width font: False

Serif font: True

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 7 (out of 13)

on pages 1-2

Glyphs used in PDF:

U+0020 CID 3 space	T U+0054 CID 55 T	V U+0056 CID 57 V	a U+0061 CID 68 a	d U+0064 CID 71 d	e U+0065 CID 72 e	h U+0068 CID 75 h	i U+0069 CID 76 i
n U+006E CID 81 n	r U+0072 CID 85 r	s U+0073 CID 86 s					

Font properties:

Type 0 font: "Verdana-Bold"

PostScript name: Verdana-Bold

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "Verdana-Bold"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 1005

y-coordinate of the top of flat capital letters: 727

Maximum depth below the baseline: 209

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 91

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0
y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: Verdana-Bold

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False



Font 8 (out of 13)

on page 1

Glyphs used in PDF:

す	で	は	キ	ス	テ	ト
U+3059 CID 868 suhiragana	U+3067 CID 882 dehiragana	U+306F CID 890 huhiragana	U+30AD CID 939 kikatakana	U+3089 CID 951 sukatakana	U+30C6 CID 964 tekatakana	U+30C8 CID 966 tokatakana

Font properties:

Type 0 font: "YuGothic-Bold"

PostScript name: YuGothic-Bold

Unicode CMap is present

Encoding: Identity-H

Descendant fonts

CID Type 2 font: "YuGothic-Bold"

CID font system info

Issuer (Registry): "Adobe"

Unique name (Ordering): "Identity"

Supplement number (Supplement): 0

Embedded: True

Font descriptors

Maximum height above the baseline: 988

y-coordinate of the top of flat capital letters: 773

Maximum depth below the baseline: 298

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 68

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters: 0

PostScript name: YuGothic-Bold

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False


Force bold at small text sizes: False



Font 9 (out of 13)

on page 1

Glyphs used in PDF:



Font properties:

Type 3 font: ""

PostScript name:

Unicode CMap is present

Font uses built-in encoding

Embedded: True

Font descriptors

Maximum height above the baseline: 0

y-coordinate of the top of flat capital letters: 175

Maximum depth below the baseline: 0

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 141

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters:
116

PostScript name: SimSun

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False

Font bounding box (34.0/25.0/234.0/-216.0)

Current transformation matrix (CTM)

(0.00391/0.0/0.0/-0.00391/0.0/0.0)



Font 10 (out of 13)

on page 1

Glyphs used in PDF:



Font properties:

Type 3 font: ""

PostScript name:

Unicode CMap is present

Font uses built-in encoding

Embedded: True

Font descriptors

Maximum height above the baseline: 0

y-coordinate of the top of flat capital letters: 175

Maximum depth below the baseline: 0

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 141

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters:
116

PostScript name: SimSun

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False

Font bounding box (12.0/23.0/248.0/-212.0)

Current transformation matrix (CTM)


(0.00391/0.0/0.0/-0.00391/0.0/0.0)



Font 11 (out of 13)

on page 1

Glyphs used in PDF:



Font properties:

Type 3 font: ""

PostScript name:

Unicode CMap is present

Font uses built-in encoding

Embedded: True

Font descriptors

Maximum height above the baseline: 0

y-coordinate of the top of flat capital letters: 175

Maximum depth below the baseline: 0

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 141

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters:
116

PostScript name: SimSun

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False

Font bounding box (11.0/27.0/250.0/-216.0)

Current transformation matrix (CTM)

(0.00391/0.0/0.0/-0.00391/0.0/0.0)



Font 12 (out of 13)

on page 1

Glyphs used in PDF:



Font properties:

Type 3 font: ""

PostScript name:

Unicode CMap is present

Font uses built-in encoding

Embedded: True

Font descriptors

Maximum height above the baseline: 0

y-coordinate of the top of flat capital letters: 175

Maximum depth below the baseline: 0

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 141

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters:
116

PostScript name: SimSun

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False

Font bounding box (54.0/19.0/216.0/-206.0)

Current transformation matrix (CTM)

(0.00391/0.0/0.0/-0.00391/0.0/0.0)



Font 13 (out of 13)

on page 1

Glyphs used in PDF:



Font properties:

Type 3 font: ""

PostScript name:

Unicode CMap is present

Font uses built-in encoding

Embedded: True

Font descriptors

Maximum height above the baseline: 0

y-coordinate of the top of flat capital letters: 175

Maximum depth below the baseline: 0

Italic angle in degrees counterclockwise: 0

Width of the dominant vertical stems of glyphs: 141

Average width of characters: 0

Desired spacing between lines: 0

Maximum width of characters: 0

Width to use for un-encoded characters.: 0

Vertical width of the dominant horizontal stems of glyphs: 0

y-coordinate of the top of flat non-ascending lowercase letters:
116

PostScript name: SimSun

Various properties

Fixed-width font: False

Serif font: False

Symbolic font: True

Script font: False

Uses the Adobe Standard Roman Character Set: False

Italic: False

All-caps font: False

Small-caps font: False

Force bold at small text sizes: False

Font bounding box (11.0/22.0/253.0/-211.0)

Current transformation matrix (CTM)

(0.00391/0.0/0.0/-0.00391/0.0/0.0)